


S-Trap Key Safe Installation Guide

Includes easy step by step setup, lists of contents and tools required



loxal
INTELLIGENT DIGITAL ACCESS



Security Digital Access Products

Installation Guide

S-Trap Key Safe

User guide


1. Using the IDACS keypad enter your unique six digit code
2. Once the correct code has been entered you will hear a short sequence of beeps
3. Wait approximately 2 seconds before pulling down the drawer
4. Use keys then replace in drawer and close by pushing back up
5. When leaving the site repeat process

Contents included

- ① IDACS S-Trap Key Safe
- ② Door Protector
- ③ Cable Tie


Important

If your key safe is integrated with an alarm system you must reset the alarm after locking the doors and replacing the key securely in the key safe. To reset alarm press the star (*) button then your 6 digit code followed by the hash (#) button.




Fixing guide


Simply hang the safe over the hinge side of the door making sure the frame locating strip **B** is in the correct position, close the door and it's done. Instantly you have incredibly secure on-site key storage. The keys are installed on an extra long (1.2m) wire lanyard. The S-Trap uses an ultra strong flexible webbing strap so it can installed on all door types including PVC and fire doors. If in the event of fire the sacrificial strap will burn off meaning the key safe does not interfere with the integrity of the fire door.




1. If the key safe is to be hung on the left hand side, turn the frame locator **A** clockwise.
If the key safe is to be hung on the right hand side turn the frame locator anti clockwise.
2. Hang the unit over hinged side of the door. Make sure the webbing strap **B** is not twisted and rear weight **C** is hanging flat against the inside of the door.
3. Although it is not essential there is a small hole in the frame locator **D** to enable a small fixing tack or screw to be inserted into the door.
4. When the door is closed the S-Trap will be held firmly and securely between the door and frame.



Also available from Loxal




Face Fix Key Safe




Letterbox Key Safe



Integrated visual
verification wireless
alarm system



Digital Lock
Converter



Locking Bar



**For technical support please call
Loxal on 0800 9172994**

Loxal Security, Unit 5, Sevenoaks Business Centre
Cramptons Road, Sevenoaks, Kent TN14 5DQ

loxalsecurity.com